





Attenuators 5 - 50 Watt




| Max Power (Watts) | Series | Attenuation (dB) | Freq (GHz) | Connector | L" x OD" |
|-------------------|-------------|---------------------------|------------|----------------|-------------|
| 5 | 602-dB-1 | 3, 6, 10, 20, 30 & 40 | Hz - 6.0 | SMA M / F | 1.20 x 0.61 |
| 5 | 602-dB-1F18 | 3, 6, 10, 20, 30 & 40 | Hz - 18.0 | SMA M / F | 1.20 x 0.61 |
| 5 | 603-dB-1 | 3, 6, 10, 20, 30 & 40 | Hz - 6.0 | N M / F | 1.9 x 0.82 |
| 5 | 603-dB-F18 | 3, 6, 10, 20, 30 & 40 | Hz - 18.0 | N M / F | 1.9 x 0.82 |
| 5 | 603-dB-11 | 3, 6, 10, 20, 30 & 40 | Hz - 2.5 | 7/16 DIN M / F | 2.98 x 1.25 |
| 10 | 604-dB-1 | 3, 6, 10 & 20 | Hz - 6.0 | SMA M / F | 1.70 x 1.0 |
| 10 | 604-dB-1 | 30 & 40 | Hz - 6.0 | SMA M / F | 1.95 x 1.0 |
| 10 | 604-dB-1F18 | 3, 6, 10 & 20 | Hz - 18.0 | SMA M / F | 1.70 x 1.0 |
| 10 | 604-dB-1F18 | 30 & 40 | Hz - 18.0 | SMA M / F | 1.95 x 1.0 |
| 10 | 606-dB-1F4 | 3, 6, 10, 20, 30 & 40 | Hz - 4.0 | N M / F | 3.15 x 1.25 |
| 10 | 606-dB-1F18 | 3, 6 & 10 | Hz - 18.0 | N M / F | 2.41 x 1.0 |
| 10 | 606-dB-1F18 | 30 & 40 | Hz - 18.0 | N M / F | 2.66 x 1.0 |
| 10 | 606-dB-11 | 3, 6, 10, 20, 30 & 40 | Hz - 2.5 | 7/16 DIN M / F | 3.48 x 1.25 |
| 20 | 630-dB-1F4 | 3, 6, 10, 20 & 30 | Hz - 4.0 | N M / F | 3.62 x 1.75 |
| 20 | 630-dB-1F4 | 40 & 50 | Hz - 3.0 | N M / F | 3.62 x 1.75 |
| 20 | 630-dB-1F18 | 3, 6, 10, 20, 30, 40 & 50 | Hz - 18.0 | N M / F | 3.04 x 1.49 |
| 20 | 631-dB-1 | 3, 6, 10, 20, 30 & 40 | Hz - 6.0 | SMA M / F | 2.33 x 1.50 |
| 20 | 631-dB-1F18 | 3, 6, 10, 20, 30 & 40 | Hz - 18.0 | SMA M / F | 2.33 x 1.50 |
| 25 | 635-dB-11 | 3, 6, 10, 20, 30 & 40 | Hz - 4.0 | 7/16 DIN M / F | 4.80 x 1.50 |
| 50 | 650-dB-1F4 | 3, 6, 10, 20, 30 & 40 | Hz - 4.0 | N M / F | 3.62 x 2.25 |
| 50 | 650-dB-1F18 | 3, 6, 10, 20, 30 & 40 | Hz - 18.0 | N M / F | 4.50 x 3.50 |
| 50 | 650-dB-11 | 3, 6, 10, 20, 30 & 40 | Hz - 4.0 | 7/16 DIN M / F | 5.98 x 1.62 |




602-dB-1




603-dB-1




604-dB-1




606-dB-1F18




631-dB-1




606-dB-1F4




606-dB-11




630-dB-1



635-dB-11



650-dB-1F4



650-dB-11

Vertrieb und Produktinformation:

Melatronik Nachrichtentechnik GmbH
vertrieb@melatronik.de www.melatronik.de